

CLASSIFIED

CONFIDENTIAL

SECRET

ROUTING AND RECORD SHEET

INSTRUCTIONS: Officer designations should be used in the "TO" column. Under each comment a line should be drawn across sheet and each comment numbered to correspond with the number in the "TO" column. Each officer should initial (check mark insufficient) before further routing. This Routing and Record Sheet should be returned to Registry.

FROM:				TELEPHONE	NO.
OC-OUT/ISB					047 55-576
					DATE 6 September 1955 25X1
TO	ROOM NO.	DATE		OFFICER'S INITIALS	TELEPHONE
		REC'D	FWD'D		COMMENTS
1.		9/7	9/8		
OC-E		N55-1193		FORSD	
2.			9-9		This is the 3-6 mca converted for [redacted] 25X1
3.					[redacted] is now working on it. 25X1
4.			9-12	OKH	
					2-3 Note requirement for additional units. 25X1
6.		9-12	9-12	MP	
7.					3-5
8.					Note that deadline date is not given. Please provide me with an estimated completion date to pass on to Ops. Tux. OKH
9.					
10.					
11.					
12.					
13.					
14.					
15.					

# Office Memorandum • UNITED STATES GOVERNMENT

O&T 55- 576

TO : Chief, Engineering Division, OC

DATE: 6 SEP 1955

FROM : Chief, Operations and Training Division, OC

SUBJECT: Crystal Controlled Converter

REF :

[Redacted Box]

*Nomenclature Designated  
OS CV-1 10-19-55*

25X1

25X1

[Redacted Box]

1. It is requested that one converter with the specifications outlined in paragraph 3 of reference be fabricated and sent to the field.

2. It is further suggested that several such units be fabricated, as time and work load allows, and held as shelf items for possible future requirements.

[Redacted Box]

25X1

Orig & 1: Addressee

DOCUMENT NO. \_\_\_\_\_  
NO CHANGE IN CLASS. ☐  
☐ DECLASSIFIED  
CLASS. CHANGED TO: TS S © 2010  
NEXT REVIEW DATE: \_\_\_\_\_  
AUTH: HR 70-2  
DATE: 3 DEC 1960 REVIEWER: 064540

~~SECRET~~

PLEASE RETURN TO R&D LAB